



Revision number:

Purchasing Agent: LEO KOOPMANS

**Item: TRUCK MOUNTED PLATFORM BODY**

Vendor: 00938A H & K TRUCK EQUIPMENT  
1103 SOUTH 700 WEST  
SALT LAKE CITY UT 84104-1543

Internet Homepage:

Telephone: 801-886-3000

Fax number: 801-886-0424

Contact: KEVIN L. HAMRICK

Email address:

Brand/trade name: H&K

Price: SEE ATTACHED

Terms:

Effective dates: 09/10/02 through 09/09/04 (w 3-1 year renewal options)2007

Days required for delivery:

Price guarantee period:

Minimum order: 1 UNIT

Min shipment without charges:

Other conditions:

---

**THIS IS A NEW CONTRACT.**

---

Bid No: LK3901

This contract covers only those items listed in the price schedule. It is the responsibility of the agency to ensure that other items purchased are invoiced separately. State agencies will place orders directly with the vendor (creating a PG in Finet) and make payments for the same on a PV referencing the original PG. Agencies will return to the vendor any invoice which reflects incorrect pricing.



## SPECIFICATIONS 14' FLAT BED

TRUCK MOUNTED PLATFORM BODY, LENGTH 14 FEET AND 96 INCHES WIDE.  
FOR GENERAL USE ON A TANDEM AXLE, CAB AND CHASSIS (183" W.B., 120 C.A.)

ALL PARTS NOT SPECIFICALLY MENTIONED, WHICH ARE NECESSARY, SHALL CONFORM IN STRENGTH AND QUALITY OF MATERIAL AND WORKMANSHIP TO WHAT IS USUALLY PROVIDED TO THE TRADE IN GENERAL.

Model and Make: HK168-96SS 14' Smooth Steel Platform

### GENERAL SPECIFICATIONS

The platform body is to be a new unit of current model and of standard production designed. The body is to meet the following minimum specifications but is not limited as to features furnished by the manufacturer. The equipment is to have all standard features.

Equipment furnished to the State of Utah must meet current state and federal safety regulations.

### WARRANTY

Items Covered: Defective parts and workmanship.

Duration: One Year.

### DETAIL SPECIFICATIONS

#### CONSTRUCTION:

To have structural channel.

- S Long members of 7" X 3/16" X 9.8 lbs. With 6" corner gussets welded to every other x-member.
- S X-bars of 4" X 3/16" X 5.4 lbs on 12" centers.
- S Front rails 3" X 5" X 1/4" angle with the 3" section as the lower flange and the five (5") as the vertical.
- S 14' long x 96" wide smooth platform.

**FLOOR:** Floor to be a one piece smooth steel, 36,000 psi. yield strength minimum with formed 5" side rails with 2" return flange.

**LIGHTS:** Lights to include:

- S I.C.C. three light cluster and side marker lights.
- S All wiring to pre-fabricated seal system loom, with all wiring to be one piece runs with no internal splices with connections only in the junction box.
- S Truck-lite system for clearance and marker lights, shock mounted in rubber grommets.
- S To install 48" light bar provided by U.D.O.T. as per U.D.O.T instructions.

#### HEADBOARD:

To have a 40" high, 3/16" construction with flame cut slots or punched screen window, 12" high X 24" wide, side gusseted in front of headboard not to protrude into load area. Channel flanged top rail. Top rail to be formed with main portion of headboard welded to bed. To include grab handle on each side.

**APRON:** The rear apron must be approximately 13" long to cover depth of long sill and have recessed offset to protect lights from docks and loading.

**PAINT:** All items must be primed with etch-base primer. Items are to be painted black with a minimum of 5mil thickness.



Option To have a meta frame work 2" X 2" X 3/16" square tubing, continuous welded to the headboard to support a Wanco early warner board (State supplied.) Tubing mounted vertical on each side of the early warner board so that it will bolt in the board approximately 17" above the light bar. Giving a 2" clearance from the top of the light bar to the early warner board. With a Wanco actuator model # 100-656-001 (State supplied) to raise and lower the board.

Option price: \$ 398.00

Option Hitch plate to be fabricated and installed as shown on drawing with bid no. LK3901. To include a Premier model 150 with a 2 inch ball approximately 18" above the ground, 1/2" D-Rings continuously welded and Pollack 11-721 trailer light receptacle properly wired. Tapered re-enforced gussets with 2 each 5/8" grade 8 bolts bolted to frame to be welded as well.

Option price: \$ 530.00

Option Beds are to be mounted with 1/2" U-bolt type tie downs with cushion boards anchored to frame rails. Tie down support channel is to be installed welded to the body and bolted to the frame with 1/2" bolts located close to mid body. To included an ICC bumper that must meet federal requirements. Mud flaps: to have U.D.O.T. mud flaps supplied by U.D.O.T.

Option price: \$514.00

Option 14" high 10 gauge constructed fold down contractor sides and rear gate with channel top rail and sloped bottom rails 3" solid posts recessed into floor of bed, all latches to be spring loaded.

14' price: \$1,513.00

16' price: \$1,555.00

Option 3 rise 30" wide step recessed in bed. Constructed of 3/16" floor plate, 1 mounted each side approximately 6" to 8" away from headboard with grab handle welded to headboard with a 17 1/2" ground clearance. **Steps need to be approved by U.D.O.T. before installation.**

Option price: \$314.00

Option: Pockets to have internal stake pockets approximately 1-58" x 5/8" on 24" centers welded solid to floor.

Option price: \$288.00

Option: In lieu of 14' bed to install a 16' bed (205" W.B. and 138" C.A.)

Option price: \$192.00

Option 40" tall city stakes, 10 ga. Construction and 18 gauge slats with latches. Must fit pocket layouts.

14' price: \$814.00

16' price: \$876.00

## **DELIVERY**

Delivery is within 30 days upon receipt of order.

Delivery must included the following:

- S** Dealer's invoice
- S** Copies of warranty

Delivery is to be F.O.B. State of Utah Department of Transportation, Central Shops, 4501 So. 2700 West, Salt Lake City, Utah 84119.

For delivery arrangements and information, contact the Prep Shop Coordinator, (801-964-4550), or Jeff Casper, Equipment Specialist, (801-965-4976), at the above address.

## **FINET COMMODITY CODE(S):**

0656700000-PLATFORM BODIES (INCLUDING ELEVATING TYPE)

5608100000-TRUCKS, PLATFORM